Vehicle-No.: 609010



Mercedes-Benz 2545 L ACTROS L frame for various containers, BDF system

Euro 71.500,00 + Mwst.

AVG Trucks GmbH
Gwinnerstraße 36
60388 Frankfurt/M
Telefone: **+49 (0) 69-942138-0**
Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de
http://www.avg-trucks.de

Contract structure	tail-lift Bär 1.500 kg, 1.800 mm, unterfahrbar.
First registration	27.07.2022
Mileage	233.100 km
Emission level	6
Engine power	330/449 kW/PS
Total weight	26.000 kg
Kerb weight	10.775 kg
Payload	15.225 kg
Wheelbase	4.600 mm
Suspension	Air suspension
Operator's cab	Bigspace

Equipment

- 1G2 12-gear transmission automatic
- 1H0 Retractable taillift
- 1W1 Frame for various containers, BDF system, for containers 7,45 m
- A1A Front axle with air suspension
- A1D Front axle 8.0 t
- A4Z Trailing axle, fit to be raised, 7,5 t
- B1B Electronic braking system with ABS and ASR
- B2A Disk-brakes front- and rearaxle
- B2X Parking brake, electronic
- B3K Secondary oil retarder
- B5A Trailer brake, 2-line connections left
- B5D Trailer stability control assistant (TSA)
- C2P Wheelbase 4.600 mm
- D1C Driver's suspension seat comfort
- D1N Passenger seat feature
- D3A Comfort Bed, top, width, height-adjustable
- D3B Comfortable bed, below
- D3M Mattress, Premium Comfort, below
- D4Q Shaving mirror
- D4S Electric sun blind, 1-part
- D4T Curtain across bed
- D4Y Sun blind, side, driver's side
- D5F LED ambient lighting, drive and live
- D6F Air conditioning
- D6I Residual heat
- D6M Hot water heater, cab
- D6V Noise and heat insulation, cab
- D7J Drawers under bed
- D7R Storage flaps over front window
- D8M Sliding / tilt sunroof electric, glass version
- D8X Seat base, lowered by 40 mm

E3R Power Socket 24 V / 25 A, front passenger footwell
E4B Interface, fleet management system FMS
E4W Traction, speed limit 30 km / h
E5K MirrorCam counter, by the bed
E6A Trailer socket 24V, 15-pin
E7F Cable remote control for air suspension
F0T Mercedes star lit
F1H BigSpace cab 2.50 m wide, flat bottom
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F4X Storage compartment outside flap left
F4Z f5b
F5C Air guide body, without base plate
F5L Sun visor, exterior, transparent
F6Q Air horn
F6T MirrorCam
F8E Locking system with central locking
F8F comfort Lock
F8V Light sensor
F8W Rain sensor
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I2E Tires 315/70 R 22.5
I2F Tires 315/70 R 22.5
I4C Wheel formula 6x2 ENA
I6X Air suspension, rear axle
J2K Speaker, 2-way system
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J6C Multimedia cockpit, interactive
J9A Provision for fitting CB radio, 12 V, DIN slot
J9D Pre-installation for toll collection
K1P 630 liter tank
K3V AdBlue tank 60 liters
K6N Tank 630 liters
L1C LED-daytime running lights
L1D Automatic high / low beam and cornering light
L1H Fog lamps, halogen
L1W Indicadores LED en firma luminosa
L3A Spotlight, below
M0E Torque increase, in the 12th gear
M3B Engine OM 471, R6, 12.8 L, 330 kW (449 hp) 2200 Nm
M4X Engine version Euro 6, E
M5B 2nd generation engine OM471
M5V High Performance Engine Brake
N6Z Transmission oil cooling
O3D Safety Pack, without roll control
O3R Actros L
O7L Chrome package, interior
O8L Comfort Package
P5Z Swap body frame 7150 mm + 7450 mm, height 1320 mm

Q7J Towbar Standard D40, Ringfeder
S1D Stability Rules Wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist
S1L Alertness assistant
S1O Traffic sign assistant
S1W Active Brake Assist 5
S3A Airbag, driver
S5Z cruise control
U1W AdBlue pipes, water-heated
V2B Actros model generation 5
W2K Weight variant 26 t (7.5 / 11.5 / 7.5)
Y1X Refrigerator, in drawers, under the bed
Z1H EBS
Z99 Vehicle without sparewheel

Legal notice: The details of this offer are subject to change.
Subject to prior sale. For sale to businesses only.

© 2005 AVG Trucks GmbH